

| Ref # | Hits   | Search Query  | DBs   | Default Operator | Plurals | Time Stamp       |
|-------|--------|---|---|------------------|---------|------------------|
| L1    | 1      | "20030105883".pn.   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>IBM_TDB | OR               | ON      | 2005/09/13 11:18 |
| L2    | 7      | (java j2ee) near5 (proxi\$3 bridg\$3) near5 (".net" microsoft remoting clr) | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>IBM_TDB | OR               | ON      | 2005/09/13 11:18 |
| L3    | 2333   | ?net  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>IBM_TDB | OR               | ON      | 2005/09/13 11:18 |
| L4    | 3      | microsoft adj ?net  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>IBM_TDB | OR               | ON      | 2005/09/13 11:18 |
| L5    | 421    | ".net" remoting   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>IBM_TDB | OR               | ON      | 2005/09/13 11:18 |
| L6    | 2333   | ?net  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>IBM_TDB | OR               | ON      | 2005/09/13 11:18 |
| L7    | 13     | ?net adj remot\$3   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>IBM_TDB | OR               | ON      | 2005/09/13 11:18 |
| L8    | 20     | net adj remoting  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>IBM_TDB | OR               | ON      | 2005/09/13 11:18 |
| L9    | 370    | ((one adj2 one) near2 map\$4) and prox\$3                                   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>IBM_TDB | OR               | ON      | 2005/09/13 11:18 |
| L10   | 43     | ((one adj2 one) near2 map\$4) near5 (class\$2 interface?)                   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>IBM_TDB | OR               | ON      | 2005/09/13 11:18 |
| L11   | 351    | 717/138-139.ccls.   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>IBM_TDB | OR               | ON      | 2005/09/13 11:18 |
| L12   | 607312 | ".net" remot\$3   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>IBM_TDB | OR               | ON      | 2005/09/13 11:18 |

|     |      |  |   |     |    |                  |
|-----|------|--|---|-----|----|------------------|
| L13 | 421  | remoting   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>IBM_TDB | OR  | ON | 2005/09/13 11:18 |
| L14 | 122  | remoting and net   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>IBM_TDB | OR  | ON | 2005/09/13 11:18 |
| L15 | 70   | net adj remot\$3   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>IBM_TDB | OR  | ON | 2005/09/13 11:18 |
| L16 | 33   | (net adj remot\$3) and map\$4  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>IBM_TDB | OR  | ON | 2005/09/13 11:18 |
| L17 | 4481 | (one adj2 one) near2 map\$4  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>IBM_TDB | OR  | ON | 2005/09/13 11:18 |
| L18 | 1    | (net adj remot\$3) and ((one adj2 one) near2 map\$4)   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>IBM_TDB | OR  | ON | 2005/09/13 11:18 |
| L19 | 825  | (719/313 719/330).ccls.  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>IBM_TDB | OR  | ON | 2005/09/13 11:18 |
| L20 | 2777 | (creat\$3 or generat\$3 or build\$3) near5 (proxy or proxies)                                | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>IBM_TDB | ADJ | ON | 2005/09/13 11:18 |
| L21 | 1    | (creat\$3 or generat\$3 or build\$3) near5 ((optimiz\$5 or custom) near (proxy or proxies))  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>IBM_TDB | ADJ | ON | 2005/09/13 11:18 |
| L22 | 34   | (creat\$3 or generat\$3 or build\$3) near5 ((optimiz\$5 or custom) near5 (proxy or proxies)) | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>IBM_TDB | ADJ | ON | 2005/09/13 11:18 |
| L23 | 2333 | ?net   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>IBM_TDB | OR  | ON | 2005/09/13 11:18 |
| L24 | 421  | ".net" remoting  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>IBM_TDB | OR  | ON | 2005/09/13 11:18 |

|     |        |   |   |     |    |                  |
|-----|--------|---|---|-----|----|------------------|
| L25 | 2333   | ?net  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>IBM_TDB | OR  | ON | 2005/09/13 11:18 |
| L26 | 607312 | ".net" remot\$3   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>IBM_TDB | OR  | ON | 2005/09/13 11:18 |
| L27 | 421    | remoting  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>IBM_TDB | OR  | ON | 2005/09/13 11:18 |
| L28 | 4481   | (one adj2 one) near2 map\$4   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>IBM_TDB | OR  | ON | 2005/09/13 11:18 |
| L29 | 2777   | (creat\$3 or generat\$3 or build\$3)<br>near5 (proxy or proxies)                                  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>IBM_TDB | ADJ | ON | 2005/09/13 11:18 |
| L30 | 1      | "20030105883".pn.   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>IBM_TDB | OR  | ON | 2005/09/13 11:18 |
| L31 | 1      | (net adj remot\$3) and ((one adj2<br>one) near2 map\$4)   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>IBM_TDB | OR  | ON | 2005/09/13 11:18 |
| L32 | 1      | (creat\$3 or generat\$3 or build\$3)<br>near5 ((optimiz\$5 or custom) near<br>(proxy or proxies)) | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>IBM_TDB | ADJ | ON | 2005/09/13 11:18 |
| L33 | 7      | (java j2ee) near5 (proxi\$3 bridg\$3)<br>near5 (".net" microsoft remoting<br>clr)                 | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>IBM_TDB | OR  | ON | 2005/09/13 11:18 |
| L34 | 3      | microsoft adj ?net  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>IBM_TDB | OR  | ON | 2005/09/13 11:18 |
| L35 | 13     | ?net adj remot\$3   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>IBM_TDB | OR  | ON | 2005/09/13 11:18 |
| L36 | 20     | net adj remoting  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>IBM_TDB | OR  | ON | 2005/09/13 11:18 |

|     |      |  |   |     |    |                  |
|-----|------|--|---|-----|----|------------------|
| L37 | 43   | ((one adj2 one) near2 map\$4)<br>near5 (class\$2 interface?)                                       | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>IBM_TDB | OR  | ON | 2005/09/13 11:18 |
| L38 | 122  | remoting and net   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>IBM_TDB | OR  | ON | 2005/09/13 11:18 |
| L39 | 70   | net adj remot\$3   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>IBM_TDB | OR  | ON | 2005/09/13 11:18 |
| L40 | 33   | (net adj remot\$3) and map\$4  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>IBM_TDB | OR  | ON | 2005/09/13 11:18 |
| L41 | 34   | (creat\$3 or generat\$3 or build\$3)<br>near5 ((optimiz\$5 or custom) near5<br>(proxy or proxies)) | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>IBM_TDB | ADJ | ON | 2005/09/13 11:18 |
| L42 | 370  | ((one adj2 one) near2 map\$4) and<br>prox\$3   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>IBM_TDB | OR  | ON | 2005/09/13 11:18 |
| L43 | 351  | 717/138-139.ccls.  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>IBM_TDB | OR  | ON | 2005/09/13 11:18 |
| L44 | 825  | (719/313 719/330).ccls.  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>IBM_TDB | OR  | ON | 2005/09/13 11:18 |
| S1  | 1    | "20030105883".pn.  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>IBM_TDB | OR  | ON | 2004/08/05 12:18 |
| S2  | 7    | (java j2ee) near5 (proxi\$3 bridg\$3)<br>near5 (".net" microsoft remoting<br>clr)                  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>IBM_TDB | OR  | ON | 2004/08/05 12:31 |
| S3  | 1932 | ?net   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>IBM_TDB | OR  | ON | 2004/08/05 20:07 |
| S4  | 3    | microsoft adj ?net   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>IBM_TDB | OR  | ON | 2004/08/05 14:01 |

|     |        |  |   |    |    |                  |
|-----|--------|--|---|----|----|------------------|
| S5  | 299    | ".net" remoting  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>IBM_TDB | OR | ON | 2004/08/05 14:02 |
| S6  | 1932   | ?net   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>IBM_TDB | OR | ON | 2004/08/05 14:13 |
| S7  | 12     | ?net adj remot\$3  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>IBM_TDB | OR | ON | 2004/08/05 14:14 |
| S8  | 5      | net adj remoting   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>IBM_TDB | OR | ON | 2004/08/05 14:14 |
| S9  | 270    | ((one adj2 one) near2 map\$4) and<br>prox\$3                 | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>IBM_TDB | OR | ON | 2004/08/05 14:52 |
| S10 | 33     | ((one adj2 one) near2 map\$4)<br>near5 (class\$2 interface?) | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>IBM_TDB | OR | ON | 2004/08/05 14:53 |
| S11 | 272    | 717/138-139.ccls.  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>IBM_TDB | OR | ON | 2004/08/05 19:38 |
| S12 | 529747 | ".net" remot\$3  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>IBM_TDB | OR | ON | 2004/08/05 19:38 |
| S13 | 299    | remoting   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>IBM_TDB | OR | ON | 2004/08/05 19:38 |
| S14 | 62     | remoting and net   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>IBM_TDB | OR | ON | 2004/08/05 19:39 |
| S15 | 49     | net adj remot\$3   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>IBM_TDB | OR | ON | 2004/08/05 19:44 |
| S16 | 24     | (net adj remot\$3) and map\$4                                | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>IBM_TDB | OR | ON | 2004/08/05 19:44 |

|     |      |  |   |     |    |                  |
|-----|------|--|---|-----|----|------------------|
| S17 | 3585 | (one adj2 one) near2 map\$4  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>IBM_TDB | OR  | ON | 2004/08/05 19:45 |
| S18 | 1    | (net adj remot\$3) and ((one adj2 one) near2 map\$4)   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>IBM_TDB | OR  | ON | 2004/08/05 19:45 |
| S19 | 662  | (719/313 719/330).ccls.  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>IBM_TDB | OR  | ON | 2004/08/05 20:07 |
| S50 | 2495 | (creat\$3 or generat\$3 or build\$3) near5 (proxy or proxies)                                | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>IBM_TDB | ADJ | ON | 2005/04/15 12:15 |
| S52 | 1    | (creat\$3 or generat\$3 or build\$3) near5 ((optimiz\$5 or custom) near (proxy or proxies))  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>IBM_TDB | ADJ | ON | 2005/04/15 12:17 |
| S53 | 32   | (creat\$3 or generat\$3 or build\$3) near5 ((optimiz\$5 or custom) near5 (proxy or proxies)) | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>IBM_TDB | ADJ | ON | 2005/04/15 12:17 |
| S54 | 1    | "20030105883".pn.  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>IBM_TDB | OR  | ON | 2005/04/18 10:27 |
| S55 | 7    | (java j2ee) near5 (proxi\$3 bridg\$3) near5 (".net" microsoft remoting clr)                  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>IBM_TDB | OR  | ON | 2005/04/18 10:27 |
| S56 | 2162 | ?net   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>IBM_TDB | OR  | ON | 2005/04/18 10:27 |
| S57 | 3    | microsoft adj ?net   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>IBM_TDB | OR  | ON | 2005/04/18 10:27 |
| S58 | 366  | ".net" remoting  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>IBM_TDB | OR  | ON | 2005/04/18 10:27 |
| S59 | 2162 | ?net   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>IBM_TDB | OR  | ON | 2005/04/18 10:27 |

|     |        |  |   |    |    |                  |
|-----|--------|--|---|----|----|------------------|
| S60 | 12     | ?net adj remot\$3  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>IBM_TDB | OR | ON | 2005/04/18 10:27 |
| S61 | 14     | net adj remoting   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>IBM_TDB | OR | ON | 2005/04/18 10:27 |
| S62 | 342    | ((one adj2 one) near2 map\$4) and<br>prox\$3                 | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>IBM_TDB | OR | ON | 2005/04/18 10:27 |
| S63 | 40     | ((one adj2 one) near2 map\$4)<br>near5 (class\$2 interface?) | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>IBM_TDB | OR | ON | 2005/04/18 10:27 |
| S64 | 328    | 717/138-139.ccls.  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>IBM_TDB | OR | ON | 2005/04/18 10:27 |
| S65 | 578022 | ".net" remot\$3  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>IBM_TDB | OR | ON | 2005/04/18 10:27 |
| S66 | 366    | remoting   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>IBM_TDB | OR | ON | 2005/04/18 10:27 |
| S67 | 96     | remoting and net   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>IBM_TDB | OR | ON | 2005/04/18 10:27 |
| S68 | 62     | net adj remot\$3   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>IBM_TDB | OR | ON | 2005/04/18 10:27 |
| S69 | 31     | (net adj remot\$3) and map\$4                                | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>IBM_TDB | OR | ON | 2005/04/18 10:27 |
| S70 | 4127   | (one adj2 one) near2 map\$4                                  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>IBM_TDB | OR | ON | 2005/04/18 10:27 |
| S71 | 1      | (net adj remot\$3) and ((one adj2<br>one) near2 map\$4)      | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>IBM_TDB | OR | ON | 2005/04/18 10:27 |

|     |      |  |   |     |    |                  |
|-----|------|--|---|-----|----|------------------|
| S72 | 757  | (719/313 719/330).ccls.  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>IBM_TDB | OR  | ON | 2005/04/18 10:27 |
| S73 | 2495 | (creat\$3 or generat\$3 or build\$3)<br>near5 (proxy or proxies)                                   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>IBM_TDB | ADJ | ON | 2005/04/18 10:27 |
| S74 | 1    | (creat\$3 or generat\$3 or build\$3)<br>near5 ((optimiz\$5 or custom) near<br>(proxy or proxies))  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>IBM_TDB | ADJ | ON | 2005/04/18 10:27 |
| S75 | 32   | (creat\$3 or generat\$3 or build\$3)<br>near5 ((optimiz\$5 or custom) near5<br>(proxy or proxies)) | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>IBM_TDB | ADJ | ON | 2005/04/18 10:27 |